

WE CONNECT WORLDS





### **INTERKONT Berger GmbH**

Fraunhoferstrasse 5 - D-87700 Memmingen Tel: +49 8331 97990 Fax: +49 8331 979910 info@interkont.de www.interkont.de



# fireher

### elektronik



### Desk consoles and shell cases

- versatile choice of desk consoles and shell cases made of aluminium

- suitable for pcb or non standardised components with integrated guide slots with grid of 1HP customer specified printing of the front panels made in our in house printing shop
- special dimensions and surfaces



### Miniature aluminium cases

- case consists of a tubus or two half shells made of aluminium profiles
- with integrated cooling fins
   integrated guide slot for insertion of printed circuits or mounting plates
- D-sub connectors can be mounted without front panel cutouts, special lengths and other surfaces upon customer's specification



ELEKTRONIK & MECHATRONIK & VERTRETUNGEN

Desk consoles and shell cases Combination cases Miniature aluminium cases **Design cases** 



### Combination cases and tube cases

- suitable for all current Euro-cards with multiple combination possibilities as a desk case or for mounting rail fastening
- protection sealing up to IP 54
- EMC version achieved by electrically conductive
- surfaces and sealings modifications and variations as well as special constructions, machinings and designs made to customer's requirements



#### Design cases

- customised cases "Chac", "Frame", "Rail" and "Eurotainer"
- aluminium case for Eurocards 100 mm, non-standard components or PCBs
- insertion possibility for front foils and foil key pads
- anodised or lacquered front panels and aluminium extruded profiles
- inividual colouring of the plastic covers
- customised front panel design and imprinting

# fireher

### elektronik 33



19" System cases

- state of the art shape design and colourings
- suitable for EMC applications
- outer dimensions as per subrack, therefore suitable as well for rack installation
- front and rear side optional installation of bus circuit
- board and part front panels all dimensions and colours can be made to customer's design requirements



### 19" Subrack

suitable for wall mounting, cabinet installation or rail mounting

INTERKONT

ELEKTRONIK & MECHATRONIK & VERTRETUNGEN

19" Plug-in boxes 19" Insert modules

19" System cases 19" Subracks

- suitable for standard, IEEE and EMC applications
- desktop case with integrated subrack special heigths and depths or partial units
- large range of accessories additional treatments, modifications or surfaces for your special demand



19" Plug-in boxes

- insertion of horizontally placed pcb or non standardised components
- 1 U up to 6 U, with and without handles
- side panels made of aluminium sheet or extrusion profile
- versatile versions with removable cover & bottom panels
- durable silk screen printing in all common RAL colours
- customer specified holes and profile treatments




### 19" Insert modules

- with or without side panel heatsinks
- EMC protected version
- integrated T-section suitable for insulationg strips, threaded rails, or square-nuts with integrated pcb guide rails
- frame module for direct card insertion
- realisation of customer specific versions



## fireher elektronik >>





- several hundred profiles permanently in stock
- highest precision due to modern production machines
- profile machining in sizes of up to 1600 mm special CNC-machining according to customer's requirements
- any required surface treatment
- machining even on anodised heatsinks
- special profiles for your specific requirements



ELEKTRONIK & MECHATRONIK & VERTRETUNGEN

Extruded heatsinks Retaining springs Heatsinks for LEDs Lamella heatsinks



### Extruded heatsinks with retaining springs

- pressed-in solder pins for direct solder-in fastening
- solder pins with insulation ring or as a threaded bolt for horizontal or vertical PCB-mounting
- fast and easy semiconductor-mounting by means of retaining springs
- high pressing force and integral hold of the semiconductor due to different retaining springs customer specified versions and modifications



### Heatsinks for LEDs


- competence in cooling LEDs
- customer specified treatments and special designs
   guidance and support with application based
  "thermal management"

  Light for
- certified partner supporting the LED Light for you OSRAM network "LED - Light for you"



CERTIFIED PARTNER

versatile assortment of standard heatsinks



#### Lamella heatsinks

- lamella heatsinks made of aluminium or copper with special design for forced air convection
- compact design with very low thermal resistances
- with one or two sided mounting area precisly milled to flatness
- additional machining, modification and special designs according to customer's specification

### fireher elektronik 3



Heatsinks and fan coolers for processors

excellent thermal efficiency due to flow-favouring omnidirectional fin geometry

easy mounting by means of integrated fastening clip, double sided adhesive thermal foil or thermal glue compact design with high mechanical stability

special high-quality industrial model

customer specified versions and machinings



ELEKTRONIK & MECHATRONIK & VERTRETUNGEN

Processor coolers Finger shaped heatsinks Cooling aggregates Thermal interface material



Finger shaped and minature heatsinks

made of phosphorus bronze, aluminium- or copper material

- effective cooling of small transistors

mounting of the semi-conductor by using screws or an integrated spring clip can be soldered directly on the PCB due to solderable

surfaces or pressed on solderable pins special packing such as Tape & Reel, bar magazine, tray, etc.



Cooling aggregates

- segment-, hollow fins-, miniature, high-performance cooling aggregates and effective design with axial, diagonal and radial fan motors
- precisely milled to flatness semi-conductor mounting areas

- flow-optimised fin geometry
   fixed lengths are balanced precisely to the fan motor
- cooling aggregates also available without fan motors

additional machining according to customer's requirements



Thermal interface material

thermally conductive and electrically insulating foils

- thermally conductive and electrically made in the thermally conductive paste with silicone, without silicone or with graphite


various thermal materials such as silicone elastomere, gel rubbers and foam-foils, polyimide foils etc.

large scale of standard cut-outs, tapes, plates, tubes and caps

customer specified production of our thermally conductive foils according to customer's drawings




## filscher elektronik 13



### Male and female header for SMT mounting


- male header, one row and two rows, with pick and place pad, vertical and horizontal design female header, one row and two rows, with pick and
- place pad, vertical and horizontal design pitch: 2.54 mm, 2.00 mm, 1.27 mm






### Male and female header for solder-in mounting

- male header, one row or two rows, in straigth and angled design, length of contacts up to 65 mm protective-shroud male header, 10-50 contacts
- female header, one and two rows, in straigth and angled design with stamped contacts or precision
- plug-through female header, one row and two rows
- pitch: 2.54 mm, 2.00 mm, 1.27 mm



### Male and female headers for press-in mounting


- male header, one row and two rows, version straight
- female header, one row and two rows, in version straight
- protective-shroud male header with 10 to 20 contacts



### Packaging types for automatical assembly of SMD headers

- tube magazine
- tape and reel

## filseher elektronik <del>></del>



- precision sockets and plugs for solder-in technique precision sockets and plugs for SMT
- DIL-IC sockets with extract-spline




### **D-Sub** connectors

- male and female connectors for solder-in, SMT and IDC-technique
- high density connectors
- mixed layout connectors
- D-sub hoods
- accessories



ELEKTRONIK & MECHATRONIK & VERTRETUNGEN

Sockets **IDC** connectors D-Sub connectors Brackets and LED-holders



### **IDC** connectors

- female header with and without strain relief, one row and two rows
- shroud headers for lockable female multipoint connector, two-rows: 6-50 contacts
- pcb connector, one row, two rows and four rows
- flat ribbon cable



### Brackets and LED-holders

- brackets with and without fixing tabs
- low profile brackets for PCI
- LED-retainer with and without LED
- light pipes for SMT components

More Than IOO Producers From A Single Source





ELEKTRONIK & MECHATRONIK & VERTRETUNGEN

www.interkont.de

Automation • Electromechanics • Cable Assembly • Test Equipment WE CONNECT WORLDS























KAISER+KRAFT















































rakon Xpress















### Claudio Madeira Martins

Product Manager / Project Manager / Technical Sales Tel: +49 (0) 8331 9799 15

Mobile: + 49 (0) 160 920 603 19 claudio.martins@interkont.de

#### INTERKONT Berger GmbH

Fraunhoferstraße 5 1. OG - Ost 87700 Memmingen www.interkont.de

### Anja Černe

**Managing Director** Tel: +49 (0) 8331 9799 12 Mobile SLO: + 386 (0) 41 729 365 Mobile DE: + 49 (0) 160 962 725 11 a.cerne@interkont.de

